Microbac

Laboratory Report Number: L12010576 *(Revised)*

Mark Lyon
Environmental Waste Solutions
2440 Louisiana Blvd
Albuquerque, NM 87110

Please find enclosed the analytical results for the samples you submitted to Microbac Laboratories. Review and compilation of your report was completed by Microbac's Ohio Valley Division (OVD). If you have any questions, comments, or require further assistance regarding this report, please contact your service representative listed below.

Laboratory Contact:
Stephanie Mossburg – Team Chemist/Data Specialist
(740) 373-4071
Stephanie.Mossburg@microbac.com

I certify that all test results meet all of the requirements of the DoD QSM and other applicable contract terms and conditions. Any exceptions are attached to this cover page or addressed in the method narratives presented in the report. All results for soil samples are reported on a 'dry-weight' basis unless specified otherwise. Analytical results for water and wastes are reported on a 'as received' basis unless specified otherwise. A statement of uncertainty for each analysis is available upon request. This laboratory report shall not be reproduced, except in full, without the written approval of Microbac Laboratories, DoD ELAP certification number 2936.01. The reported results are related only to the samples analyzed as received.

This report was certified on February 20 2012

David Vandenberg – Managing Director

State of Origin: NM
Accrediting Authority: N/A ID:N/A
QAPP: DOD Ver 4.1

Microbac

Lab Report #: L12010576
Lab Project #: 3005.011
Project Name: White Sands MR
Lab Contact: Stephanie Mossburg

Record of Sample Receipt and Inspection

Comments/Discrepancies

This is the record of the shipment conditions and the inspection records for the samples received and reported as a sample delivery group (SDG). All of the samples were inspected and observed to conform to our receipt policies, except as noted below.

There were no discrepancies.

Discrepancy	Resolution

Coolers

Cooler #	Temperature Gun	Temperature	COC #	Airbill #
0016587	H	1.0		1002241143010004575000874824307429

Inspection Checklist

#	Question	Result
1	Were shipping coolers sealed?	Yes
2	Were custody seals intact?	Yes
3	Were cooler temperatures in range of 0-6?	Yes
4	Was ice present?	Yes
5	Were COC's received/information complete/signed and dated?	Yes
6	Were sample containers intact and match COC?	Yes
7	Were sample labels intact and match COC?	Yes
8	Were the correct containers and volumes received?	Yes
9	Were samples received within EPA hold times?	Yes
10	Were correct perservatives used? (water only)	Yes
11	Were pH ranges acceptable? (voa's excluded)	Yes
12	Were VOA samples free of headspace (less than 6mm)?	NA

Microbac

Lab Report #: L12010576
Lab Project #: 3005.011
Project Name: White Sands MR
Lab Contact: Stephanie Mossburg

Samples Received

Client ID	Laboratory ID	Date Collected	Date Received
MPL18-0112-1	L12010576-01	01/20/2012 10:30	01/21/2012 16:26
T40-0112-1	L12010576-02	01/20/2012 12:10	01/21/2012 16:26
MPL17-0112-1	L12010576-03	01/20/2012 13:45	01/21/2012 16:26

Login Number: L12010576
Department: Conventionals
Analyst: Deanna Hesson

METHOD

Analysis SW846 9040C,9045D/EPA 150.1/SM4500-H B (pH)

HOLDING TIMES

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41651
Approved By: Deanna Hesson



Login Number: L12010576
Department: Metals
Analyst: Kim Rhodes

METHOD

Preparation: SW-846 3005

Analysis: SW-846 6010

HOLDING TIMES

Sample Preparation: All holding times were met.

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

CALIBRATION

Initial Calibration: All acceptance criteria were met.

Alternate Source Standards: All acceptance criteria were met.

Interference Check Standards: All acceptance criteria were met.

Continuing Calibration Verification: All acceptance criteria were met.

Continuing Calibration Blank: All acceptance criteria were met.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Serial Dilution/Post Digestion Spikes: WG387825 - Tin was not added to the initial post digestion spike analyzed on 25-JAN-2012 at 16:04; therefore, client sample 01 was reanalyzed with a post digestion spike and serial dilution for tin on a later calibration.

Matrix Spikes: All acceptance criteria were met.

SAMPLES

Samples: WG387825 - Client samples 01, 02 and 03 required dilution analyses in order to obtain results for calcium within the linear range.

Narrative ID: 41337
Approved By: Maren Beery



Login Number: L12010576
Department: Metals
Analyst: Erin Long

METHOD

Preparation: SW-846 3015

Analysis: SW-846 6020

HOLDING TIMES

Sample Preparation: All holding times were met.

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

CALIBRATION

Initial Calibration: All acceptance criteria were met.

Alternate Source Standards: All acceptance criteria were met.

Interference Check Standards: All acceptance criteria were met.

Continuing Calibration: All acceptance criteria were met.

Continuing Calibration Blank: All acceptance criteria were met.

Low Level Check: WG387809 - The low level continuing calibration verification analyzed on 28-JAN-2012 at 19:53 yielded a noncompliant result of 126% recovery for cadmium which slightly exceeded the 120% acceptance limit. With permission of the project chemist, no further action was taken.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Serial Dilution/Post Digestion Spikes: WG387809 - All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

Narrative ID: 41452
Approved By: Maren Beery



Login Number: L12010576
Department: Metals - AA
Analyst: Pierce Morris

METHOD

Preparation: SW-846 7470

Analysis: SW-846 7470

HOLDING TIMES

Sample Preparation: All holding times were met.

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

CALIBRATION

Initial Calibration: All acceptance criteria were met.

Alternate Source Standards: All acceptance criteria were met.

Interference Check Standards: All acceptance criteria were met.

Continuing Calibration Verification: All acceptance criteria were met.

Continuing Calibration Blank: All acceptance criteria were met.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Serial Dilution/Post Digestion Spikes: WG387939 - All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

Narrative ID: 41363
Approved By: Maren Beery



Login Number: L12010576
Department: General Chromatography
Analyst: Jeremy Kinney

METHOD

Analysis SW-846 9056/300.0

HOLDING TIMES

Sample Preparation: All holding times were met.

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

CALIBRATION

Initial Calibration: All acceptance criteria were met.

Alternate Source Standards: All acceptance criteria were met.

Continuing Calibration and Tune: All acceptance criteria were met.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Matrix Spikes: There was no specified MS/MSD. See appropriate QC forms for non-client MS/MSD results.

SAMPLES

Samples: At first analysis fraction -03 was analyzed at a dilution only due to its Cl concentration which was greater than the ICAL. Per the client's request, the sample was reanalyzed neat for F only.

Surrogates: All acceptance criteria were met.

Manual Integration Reason Codes

Reason #1: Data System Fails to Select Correct Peak In some cases the chromatography system selects and integrates the 'wrong peak'. In this case the analyst must correct the selection and force the system to integrate the proper peak. Other times the system may miss the peak completely.

Reason #2: Data System Splits the Peak Incorrectly or Integrates a False Peak as a Rider Peak This phenomena is common at low concentrations where the signal:noise ratio is low. A single compound (peak) is incorrectly split into multiple peaks or integrated as a main peak with one or more rider peaks resulting in low area counts for the target compound.

Reason #3: Improperly Integrated Isomers and/or coeluting compounds. This system often fails to distinguish coeluting compounds and or isomers. The integration areas and concentrations are wrong, and they must be corrected by manual integration. Prime examples are benzo(k)fluoranthene and benzo(b)fluoranthene which are often unresolved and integrated improperly when both are present at low concentrations in standards or samples.

Reason #4: System Establishes Incorrect Baseline There are numerous situations in chromatography where the system establishes the baseline incorrectly. Some baseline errors will be obvious to the analyst and should be corrected via manual procedures.

Reason #5: Miscellaneous Other situations involving integration errors may require in-depth review and technical judgment. These cases should be brought to the attention of the laboratory management. If the form of manual integration is not clearly covered by these four cases, then review and approval by the Laboratory Director or the QA/QC Supervisor

will be required.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41597
Approved By: Jeremy Kinney



Login Number: L12010576
Department: Conventionals
Analyst: Deanna Hesson

METHOD

Analysis EPA 310.2 (Alkalinity)

HOLDING TIMES

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41649
Approved By: Deanna Hesson



Login Number: L12010576
Department: Conventionals
Analyst: Jeremy Kinney

METHOD

Analysis SW846 9014/9010C/SM4500-CN-C,E-20th (Cyanide)

HOLDING TIMES

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: Cyanide-Ammenable is the difference between the total cyanide and the treated cyanide. The LCS is analyzed to show that all of the cyanide is ammenable (the treated portion is ND). The LCS forms cannot calculate cyanide ammenable. The LCS is acceptable.

Matrix Spikes: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41405
Approved By: Deanna Hesson



Login Number: L12010576
Department: Conventionals
Analyst: Dorothy Payne

METHOD

Analysis EPA 120.1/SM2510 B (Conductivity)

HOLDING TIMES

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41650
Approved By: Deanna Hesson



Login Number: L12010576
Department: Conventionals
Analyst: Deanna Hesson

METHOD

Analysis EPA 350.1/SM4500-NH3 B(NH3)

HOLDING TIMES

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41652
Approved By: Deanna Hesson



Login Number: L12010576
Department: Conventionals
Analyst: Deanna Hesson

METHOD

Analysis EPA 353.2/SM4500-NO3 F (Nitrate)

HOLDING TIMES

Sample Analysis: Nitrate is reported as the difference of nitrate-nitrite (28 day hold) and nitrite (48 hour hold). Both analysis were analyzed within the appropriate hold time. The nitrate hold time is within compliance.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41653
Approved By: Deanna Hesson



Login Number: L12010576
Department: Conventionals
Analyst: Deanna Hesson

METHOD

Analysis EPA 365.2/SM4500-P E (Orthophosphate)

HOLDING TIMES

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41654
Approved By: Deanna Hesson



Login Number: L12010576
Department: Conventionals
Analyst: Holly Reed

METHOD

Analysis EPA 160.1/SM2540 C(Total Dissolved Solids)

HOLDING TIMES

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

Samples: All acceptance criteria were met.

SAMPLES

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41657
Approved By: Deanna Hesson



Login Number: L12010576
Department: Conventionals
Analyst: Deanna Hesson

METHOD

Analysis Water: EPA 415.1/SM5310C/SW846 9060 (Total Organic Carbon)
Soil: Lloyd-Khan Methodology

HOLDING TIMES

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41655
Approved By: Deanna Hesson



Login Number: L12010576
Department: Conventionals
Analyst: Holly Reed

METHOD

Analysis EPA 160.2/SM2540 D (Total Suspended Solids)

HOLDING TIMES

Sample Analysis: All holding times were met.

PREPARATION

Sample preparation proceeded normally.

BATCH QA/QC

Method Blank: All acceptance criteria were met.

Laboratory Control Sample: All acceptance criteria were met.

Duplicates: All acceptance criteria were met.

Matrix Spikes: All acceptance criteria were met.

SAMPLES

Samples: All acceptance criteria were met.

I certify that this data package is in compliance with the terms and conditions agreed to by the client and Microbac Laboratories Inc., both technically and for completeness, except for the conditions noted above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or designated person, as verified by the following signature.

Narrative ID: 41656
Approved By: Deanna Hesson



Certificate of Analysis

Sample #: L12010576-01 **PrePrep Method:** N/A **Instrument:** PE-ICP2
Client ID: MPL18-0112-1 **Prep Method:** 3005A **Prep Date:** 01/24/2012 07:42
Matrix: Water **Analytical Method:** 6010B **Cal Date:** 01/26/2012 10:21
Workgroup #: WG387825 **Analyst:** KHR **Run Date:** 01/26/2012 17:59
Collect Date: 01/20/2012 10:30 **Dilution:** 1 **File ID:** P2.012612.175948
Sample Tag: 02 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Tin, Total	7440-31-5		U	0.500	0.250

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #: L12010576-01 **PrePrep Method:** N/A **Instrument:** PE-ICP2
Client ID: MPL18-0112-1 **Prep Method:** 3005A **Prep Date:** 01/24/2012 07:42
Matrix: Water **Analytical Method:** 6010B **Cal Date:** 01/25/2012 10:14
Workgroup #: WG387825 **Analyst:** KHR **Run Date:** 01/25/2012 14:00
Collect Date: 01/20/2012 10:30 **Dilution:** 1 **File ID:** P2.012512.140024
Sample Tag: 01 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Beryllium, Total	7440-41-7		U	0.00200	0.00100
Magnesium, Total	7439-95-4	5.74		0.500	0.250
Manganese, Total	7439-96-5		U	0.0100	0.00500
Potassium, Total	7440-09-7	1.98		1.00	0.500
Sodium, Total	7440-23-5	19.5		0.500	0.250
Vanadium, Total	7440-62-2		U	0.0100	0.00500
Zinc, Total	7440-66-6		U	0.0200	0.0100

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #: L12010576-01 **PrePrep Method:** N/A **Instrument:** PE-ICP2
Client ID: MPL18-0112-1 **Prep Method:** 3005A **Prep Date:** 01/24/2012 07:42
Matrix: Water **Analytical Method:** 6010B **Cal Date:** 01/25/2012 10:14
Workgroup #: WG387825 **Analyst:** KHR **Run Date:** 01/25/2012 14:34
Collect Date: 01/20/2012 10:30 **Dilution:** 10 **File ID:** P2.012512.143454
Sample Tag: DL01 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Calcium, Total	7440-70-2	34.1		2.00	1.00

Certificate of Analysis

Sample #: L12010576-01 **PrePrep Method:** N/A **Instrument:** ELAN-ICP
Client ID: MPL18-0112-1 **Prep Method:** 3015 **Prep Date:** 01/24/2012 10:26
Matrix: Water **Analytical Method:** 6020 **Cal Date:** 01/28/2012 10:56
Workgroup #: WG387809 **Analyst:** EDL **Run Date:** 01/28/2012 22:05
Collect Date: 01/20/2012 10:30 **Dilution:** 1 **File ID:** EL.012812.220550
Sample Tag: 01 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Antimony, Total	7440-36-0		U	0.00100	0.000500
Arsenic, Total	7440-38-2	0.00189		0.00100	0.000500
Barium, Total	7440-39-3	0.135		0.00300	0.00150
Cadmium, Total	7440-43-9		U	0.000600	0.000300
Chromium, Total	7440-47-3	0.00382		0.00200	0.00100
Cobalt, Total	7440-48-4		U	0.00100	0.000500
Copper, Total	7440-50-8		U	0.00200	0.00100
Lead, Total	7439-92-1	0.00104		0.00100	0.000500
Nickel, Total	7440-02-0		U	0.00400	0.00200
Selenium, Total	7782-49-2	0.00163		0.00100	0.000500
Silver, Total	7440-22-4		U	0.00100	0.000500
Thallium, Total	7440-28-0		U	0.000200	0.000100

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #: L12010576-01 **PrePrep Method:** N/A **Instrument:** HYDRA
Client ID: MPL18-0112-1 **Prep Method:** 7470A **Prep Date:** 01/25/2012 08:14
Matrix: Water **Analytical Method:** 7470A **Cal Date:** 01/26/2012 08:01
Workgroup #: WG387939 **Analyst:** PDM **Run Date:** 01/26/2012 08:54
Collect Date: 01/20/2012 10:30 **Dilution:** 1 **File ID:** HY.012612.085447
Sample Tag: 01 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Mercury	7439-97-6		U	0.000200	0.000100

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #: L12010576-01 **PrePrep Method:** N/A **Instrument:** IC2
Client ID: MPL18-0112-1 **Prep Method:** 300.0 **Prep Date:** 01/31/2012 16:00
Matrix: Water **Analytical Method:** 300.0 **Cal Date:** 12/21/2011 13:49
Workgroup #: WG388430 **Analyst:** JBK **Run Date:** 01/31/2012 18:08
Collect Date: 01/20/2012 10:30 **Dilution:** 1 **File ID:** I20131121808.10
Sample Tag: 01 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Chloride	16887-00-6	13.1		0.200	0.100

Certificate of Analysis

Analyte	CAS #	Result	Qual	LOQ	LOD
Fluoride	16984-48-8	0.282		0.200	0.100
Sulfate	14808-79-8	34.3		1.00	0.500

Sample #: L12010576-01 **PrePrep Method:** N/A **Instrument:** ORION-4STAR
Client ID: MPL18-0112-1 **Prep Method:** 9040C **Prep Date:** N/A
Matrix: Water **Analytical Method:** 9040C **Cal Date:**
Workgroup #: WG387650 **Analyst:** DIH **Run Date:** 01/22/2012 09:35
Collect Date: 01/20/2012 10:30 **Dilution:** 1 **File ID:** OS12012413032101
Sample Tag: **Units:** UNITS

Analyte	CAS #	Result	Qual	LOQ	LOD
Corrosivity pH	10-29-7	7.94		0.000	0.000

Sample #: L12010576-01 **PrePrep Method:** N/A **Instrument:** SMARTCHEM
Client ID: MPL18-0112-1 **Prep Method:** 310.2 **Prep Date:** N/A
Matrix: Water **Analytical Method:** 310.2 **Cal Date:** 01/24/2012 13:54
Workgroup #: WG387734 **Analyst:** DIH **Run Date:** 01/24/2012 14:06
Collect Date: 01/20/2012 10:30 **Dilution:** 1 **File ID:** SC120124002.028
Sample Tag: 01 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Alkalinity, Bicarbonate (as CaCO3)		103		20.0	10.0

Sample #: L12010576-01 **PrePrep Method:** N/A **Instrument:** SMARTCHEM
Client ID: MPL18-0112-1 **Prep Method:** 310.2 **Prep Date:** N/A
Matrix: Water **Analytical Method:** 310.2 **Cal Date:** 01/24/2012 13:54
Workgroup #: WG387734 **Analyst:** DIH **Run Date:** 01/24/2012 14:06
Collect Date: 01/20/2012 10:30 **Dilution:** 1 **File ID:** SC120124002.028
Sample Tag: 01 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Alkalinity, Total (as CaCO3)		103		20.0	10.0

Certificate of Analysis

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	MPL18-0112-1	**Prep Method:**	310.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	310.2	**Cal Date:**	01/24/2012 13:54
Workgroup #:	WG387734	**Analyst:**	DIH	**Run Date:**	01/24/2012 14:06
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	SC120124002.028
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Alkalinity, Carbonate (as CaCO3)			U	20.0	10.0

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	MPL18-0112-1	**Prep Method:**	SM4500-CN-C,G	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	SM4500-CN-C,G	**Cal Date:**	01/27/2012 11:15
Workgroup #:	WG388028	**Analyst:**	JBK	**Run Date:**	01/27/2012 11:50
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	1V.1201271150-07
Sample Tag:	CN-A	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Cyanide, Amenable to Chlor.	57-12-5		U	0.0100	0.00500

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	MPL18-0112-1	**Prep Method:**	SM4500-CN-I	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	SM4500-CN-I	**Cal Date:**	01/24/2012 14:55
Workgroup #:	WG387762	**Analyst:**	JBK	**Run Date:**	01/24/2012 15:10
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	1V.1201241510-10
Sample Tag:	WD	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Cyanide, Weak/Dissociable	57-12-5		U	0.0100	0.00500

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	MPL18-0112-1	**Prep Method:**	9014-9010C	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	9014-9010C	**Cal Date:**	01/24/2012 14:55
Workgroup #:	WG387757	**Analyst:**	JBK	**Run Date:**	01/24/2012 15:30
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	1V.1201241530-08
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Cyanide	57-12-5		U	0.0100	0.00500

U	Analyte was not detected. The concentration is below the reported LOD.

Certificate of Analysis

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	YSI-32
Client ID:	MPL18-0112-1	**Prep Method:**	120.1	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	120.1	**Cal Date:**	
Workgroup #:	WG388141	**Analyst:**	DLP	**Run Date:**	01/27/2012 11:20
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	32.1201271120-03
Sample Tag:		**Units:**	umhos/cm		

Analyte	CAS #	Result	Qual	LOQ	LOD
Conductivity		318		1.00	0.500

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	MPL18-0112-1	**Prep Method:**	350.1	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	350.1	**Cal Date:**	01/27/2012 11:48
Workgroup #:	WG388059	**Analyst:**	DIH	**Run Date:**	01/27/2012 12:00
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	SC120127002.020
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Nitrogen, Ammonia	7664-41-7	0.230		0.100	0.0500

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	MPL18-0112-1	**Prep Method:**	353.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	353.2	**Cal Date:**	01/20/2012 11:48
Workgroup #:	WG387663	**Analyst:**	DIH	**Run Date:**	01/23/2012 13:39
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	SC12012514291401
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Nitrate-Nitrite (as N)		1.64		0.0500	0.0250

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	MPL18-0112-1	**Prep Method:**	SM4500-P-E-20th	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	SM4500-P-E-20th	**Cal Date:**	12/21/2011 14:35
Workgroup #:	WG387651	**Analyst:**	DIH	**Run Date:**	01/22/2012 09:40
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	1V.1201220940-05
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Orthophosphate	14265-44-2		U	0.0500	0.0250

U	Analyte was not detected. The concentration is below the reported LOD.

Certificate of Analysis

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	OVEN
Client ID:	MPL18-0112-1	**Prep Method:**	160.1/SM2540C	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	160.1	**Cal Date:**	
Workgroup #:	WG387937	**Analyst:**	HJR	**Run Date:**	01/25/2012 16:10
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	EN.1201251610-14
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Total Dissolved Solids		208		20.0	10.0

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	TOC-VWP
Client ID:	MPL18-0112-1	**Prep Method:**	415.1	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	415.1	**Cal Date:**	12/06/2011 09:40
Workgroup #:	WG387864	**Analyst:**	DIH	**Run Date:**	01/26/2012 04:18
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	TC01252012.057
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Total Organic Carbon		0.534	J	1.00	0.500

J	Estimated value ; the analyte concentration was less than the LOQ.

Sample #:	L12010576-01	**PrePrep Method:**	N/A	**Instrument:**	OVEN
Client ID:	MPL18-0112-1	**Prep Method:**	160.2/SM2540D	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	160.2	**Cal Date:**	
Workgroup #:	WG387936	**Analyst:**	HJR	**Run Date:**	01/26/2012 14:53
Collect Date:	01/20/2012 10:30	**Dilution:**	1	**File ID:**	EN.1201261453-04
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Total Suspended Solids		4.00	J	5.00	2.50

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	PE-ICP2
Client ID:	T40-0112-1	**Prep Method:**	3005A	**Prep Date:**	01/24/2012 07:42
Matrix:	Water	**Analytical Method:**	6010B	**Cal Date:**	01/25/2012 10:14
Workgroup #:	WG387825	**Analyst:**	KHR	**Run Date:**	01/25/2012 14:07
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	P2.012512.140718
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Beryllium, Total	7440-41-7		U	0.00200	0.00100
Magnesium, Total	7439-95-4	7.38		0.500	0.250
Manganese, Total	7439-96-5		U	0.0100	0.00500
Potassium, Total	7440-09-7	3.57		1.00	0.500

Certificate of Analysis

Analyte	CAS #	Result	Qual	LOQ	LOD
Sodium, Total	7440-23-5	20.4		0.500	0.250
Tin, Total	7440-31-5		U	0.500	0.250
Vanadium, Total	7440-62-2		U	0.0100	0.00500
Zinc, Total	7440-66-6		U	0.0200	0.0100

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #: L12010576-02 **PrePrep Method:** N/A **Instrument:** PE-ICP2
Client ID: T40-0112-1 **Prep Method:** 3005A **Prep Date:** 01/24/2012 07:42
Matrix: Water **Analytical Method:** 6010B **Cal Date:** 01/25/2012 10:14
Workgroup #: WG387825 **Analyst:** KHR **Run Date:** 01/25/2012 14:41
Collect Date: 01/20/2012 12:10 **Dilution:** 10 **File ID:** P2.012512.144142
Sample Tag: DL01 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Calcium, Total	7440-70-2	46.3		2.00	1.00

Sample #: L12010576-02 **PrePrep Method:** N/A **Instrument:** ELAN-ICP
Client ID: T40-0112-1 **Prep Method:** 3015 **Prep Date:** 01/24/2012 10:26
Matrix: Water **Analytical Method:** 6020 **Cal Date:** 01/28/2012 10:56
Workgroup #: WG387809 **Analyst:** EDL **Run Date:** 01/28/2012 22:13
Collect Date: 01/20/2012 12:10 **Dilution:** 1 **File ID:** EL.012812.221337
Sample Tag: 01 **Units:** mg/L

Analyte	CAS #	Result	Qual	LOQ	LOD
Antimony, Total	7440-36-0		U	0.00100	0.000500
Arsenic, Total	7440-38-2	0.00252		0.00100	0.000500
Barium, Total	7440-39-3	0.133		0.00300	0.00150
Cadmium, Total	7440-43-9		U	0.000600	0.000300
Chromium, Total	7440-47-3	0.00615		0.00200	0.00100
Cobalt, Total	7440-48-4		U	0.00100	0.000500
Copper, Total	7440-50-8		U	0.00200	0.00100
Lead, Total	7439-92-1		U	0.00100	0.000500
Nickel, Total	7440-02-0	0.00596		0.00400	0.00200
Selenium, Total	7782-49-2	0.00253		0.00100	0.000500
Silver, Total	7440-22-4		U	0.00100	0.000500
Thallium, Total	7440-28-0		U	0.000200	0.000100

U	Analyte was not detected. The concentration is below the reported LOD.

Certificate of Analysis

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	HYDRA
Client ID:	T40-0112-1	**Prep Method:**	7470A	**Prep Date:**	01/25/2012 08:14
Matrix:	Water	**Analytical Method:**	7470A	**Cal Date:**	01/26/2012 08:01
Workgroup #:	WG387939	**Analyst:**	PDM	**Run Date:**	01/26/2012 08:56
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	HY.012612.085630
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Mercury	7439-97-6		U	0.000200	0.000100

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	IC2
Client ID:	T40-0112-1	**Prep Method:**	300.0	**Prep Date:**	01/31/2012 16:00
Matrix:	Water	**Analytical Method:**	300.0	**Cal Date:**	12/21/2011 13:49
Workgroup #:	WG388430	**Analyst:**	JBK	**Run Date:**	01/31/2012 18:27
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	I20131121827.11
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Fluoride	16984-48-8	0.159	J	0.200	0.100
Sulfate	14808-79-8	32.6		1.00	0.500

J	Estimated value ; the analyte concentration was less than the LOQ.

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	IC2
Client ID:	T40-0112-1	**Prep Method:**	300.0	**Prep Date:**	01/31/2012 16:00
Matrix:	Water	**Analytical Method:**	300.0	**Cal Date:**	12/21/2011 13:49
Workgroup #:	WG388430	**Analyst:**	JBK	**Run Date:**	02/01/2012 08:24
Collect Date:	01/20/2012 12:10	**Dilution:**	2	**File ID:**	I20201120824.31
Sample Tag:	DL01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Chloride	16887-00-6	27.6		0.400	0.200

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	ORION-4STAR
Client ID:	T40-0112-1	**Prep Method:**	9040C	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	9040C	**Cal Date:**	
Workgroup #:	WG387650	**Analyst:**	DIH	**Run Date:**	01/22/2012 09:35
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	OS12012413032601
Sample Tag:		**Units:**	UNITS		

Analyte	CAS #	Result	Qual	LOQ	LOD
Corrosivity pH	10-29-7	8.15		0.000	0.000

Certificate of Analysis

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	T40-0112-1	**Prep Method:**	310.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	310.2	**Cal Date:**	01/24/2012 13:54
Workgroup #:	WG387734	**Analyst:**	DIH	**Run Date:**	01/24/2012 14:06
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	SC120124002.029
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Alkalinity, Total (as CaCO3)		125		20.0	10.0

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	T40-0112-1	**Prep Method:**	310.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	310.2	**Cal Date:**	01/24/2012 13:54
Workgroup #:	WG387734	**Analyst:**	DIH	**Run Date:**	01/24/2012 14:06
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	SC120124002.029
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Alkalinity, Carbonate (as CaCO3)			U	20.0	10.0

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	T40-0112-1	**Prep Method:**	310.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	310.2	**Cal Date:**	01/24/2012 13:54
Workgroup #:	WG387734	**Analyst:**	DIH	**Run Date:**	01/24/2012 14:06
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	SC120124002.029
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Alkalinity, Bicarbonate (as CaCO3)		125		20.0	10.0

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	T40-0112-1	**Prep Method:**	SM4500-CN-I	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	SM4500-CN-I	**Cal Date:**	01/24/2012 14:55
Workgroup #:	WG387762	**Analyst:**	JBK	**Run Date:**	01/24/2012 15:10
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	1V.1201241510-11
Sample Tag:	WD	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Cyanide, Weak/Dissociable	57-12-5		U	0.0100	0.00500

U	Analyte was not detected. The concentration is below the reported LOD.

Certificate of Analysis

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	T40-0112-1	**Prep Method:**	9014-9010C	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	9014-9010C	**Cal Date:**	01/24/2012 14:55
Workgroup #:	WG387757	**Analyst:**	JBK	**Run Date:**	01/24/2012 15:30
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	1V.1201241530-09
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Cyanide	57-12-5		U	0.0100	0.00500

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	T40-0112-1	**Prep Method:**	SM4500-CN-C,G	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	SM4500-CN-C,G	**Cal Date:**	01/27/2012 11:15
Workgroup #:	WG388028	**Analyst:**	JBK	**Run Date:**	01/27/2012 11:50
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	1V.1201271150-08
Sample Tag:	CN-A	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Cyanide, Amenable to Chlor.	57-12-5		U	0.0100	0.00500

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	YSI-32
Client ID:	T40-0112-1	**Prep Method:**	120.1	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	120.1	**Cal Date:**	
Workgroup #:	WG388141	**Analyst:**	DLP	**Run Date:**	01/27/2012 11:20
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	32.1201271120-04
Sample Tag:		**Units:**	umhos/cm		

Analyte	CAS #	Result	Qual	LOQ	LOD
Conductivity		402		1.00	0.500

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	T40-0112-1	**Prep Method:**	350.1	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	350.1	**Cal Date:**	01/27/2012 11:48
Workgroup #:	WG388059	**Analyst:**	DIH	**Run Date:**	01/27/2012 12:00
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	SC120127002.021
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Nitrogen, Ammonia	7664-41-7	0.173		0.100	0.0500

Certificate of Analysis

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	T40-0112-1	**Prep Method:**	353.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	353.2	**Cal Date:**	01/20/2012 11:48
Workgroup #:	WG387663	**Analyst:**	DIH	**Run Date:**	01/23/2012 13:39
Collect Date:	01/20/2012 12:10	**Dilution:**	4	**File ID:**	SC12012514292201
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Nitrate-Nitrite (as N)		2.30		0.200	0.100

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	T40-0112-1	**Prep Method:**	SM4500-P-E-20th	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	SM4500-P-E-20th	**Cal Date:**	12/21/2011 14:35
Workgroup #:	WG387651	**Analyst:**	DIH	**Run Date:**	01/22/2012 09:40
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	1V.1201220940-06
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Orthophosphate	14265-44-2	0.0948		0.0500	0.0250

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	OVEN
Client ID:	T40-0112-1	**Prep Method:**	160.1/SM2540C	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	160.1	**Cal Date:**	
Workgroup #:	WG387937	**Analyst:**	HJR	**Run Date:**	01/25/2012 16:10
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	EN.1201251610-15
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Total Dissolved Solids		302		20.0	10.0

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	TOC-VWP
Client ID:	T40-0112-1	**Prep Method:**	415.1	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	415.1	**Cal Date:**	12/06/2011 09:40
Workgroup #:	WG387864	**Analyst:**	DIH	**Run Date:**	01/26/2012 04:30
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	TC01252012.058
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Total Organic Carbon		0.601	J	1.00	0.500

J	Estimated value ; the analyte concentration was less than the LOQ.

Certificate of Analysis

Sample #:	L12010576-02	**PrePrep Method:**	N/A	**Instrument:**	OVEN
Client ID:	T40-0112-1	**Prep Method:**	160.2/SM2540D	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	160.2	**Cal Date:**	
Workgroup #:	WG387936	**Analyst:**	HJR	**Run Date:**	01/26/2012 14:53
Collect Date:	01/20/2012 12:10	**Dilution:**	1	**File ID:**	EN.1201261453-05
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Total Suspended Solids		4.00	J	5.00	2.50

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	PE-ICP2
Client ID:	MPL17-0112-1	**Prep Method:**	3005A	**Prep Date:**	01/24/2012 07:42
Matrix:	Water	**Analytical Method:**	6010B	**Cal Date:**	01/25/2012 10:14
Workgroup #:	WG387825	**Analyst:**	KHR	**Run Date:**	01/25/2012 14:14
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	P2.012512.141414
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Beryllium, Total	7440-41-7		U	0.00200	0.00100
Magnesium, Total	7439-95-4	7.76		0.500	0.250
Manganese, Total	7439-96-5		U	0.0100	0.00500
Potassium, Total	7440-09-7	2.18		1.00	0.500
Sodium, Total	7440-23-5	25.7		0.500	0.250
Tin, Total	7440-31-5		U	0.500	0.250
Vanadium, Total	7440-62-2		U	0.0100	0.00500
Zinc, Total	7440-66-6		U	0.0200	0.0100

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	PE-ICP2
Client ID:	MPL17-0112-1	**Prep Method:**	3005A	**Prep Date:**	01/24/2012 07:42
Matrix:	Water	**Analytical Method:**	6010B	**Cal Date:**	01/25/2012 10:14
Workgroup #:	WG387825	**Analyst:**	KHR	**Run Date:**	01/25/2012 14:48
Collect Date:	01/20/2012 13:45	**Dilution:**	10	**File ID:**	P2.012512.144832
Sample Tag:	DL01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Calcium, Total	7440-70-2	49.9		2.00	1.00

Certificate of Analysis

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	ELAN-ICP
Client ID:	MPL17-0112-1	**Prep Method:**	3015	**Prep Date:**	01/24/2012 10:26
Matrix:	Water	**Analytical Method:**	6020	**Cal Date:**	01/28/2012 10:56
Workgroup #:	WG387809	**Analyst:**	EDL	**Run Date:**	01/28/2012 22:21
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	EL.012812.222124
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Antimony, Total	7440-36-0		U	0.00100	0.000500
Arsenic, Total	7440-38-2	0.00177		0.00100	0.000500
Barium, Total	7440-39-3	0.0746		0.00300	0.00150
Cadmium, Total	7440-43-9		U	0.000600	0.000300
Chromium, Total	7440-47-3	0.00185	J	0.00200	0.00100
Cobalt, Total	7440-48-4		U	0.00100	0.000500
Copper, Total	7440-50-8		U	0.00200	0.00100
Lead, Total	7439-92-1		U	0.00100	0.000500
Nickel, Total	7440-02-0	0.00353	J	0.00400	0.00200
Selenium, Total	7782-49-2	0.00454		0.00100	0.000500
Silver, Total	7440-22-4		U	0.00100	0.000500
Thallium, Total	7440-28-0		U	0.000200	0.000100

J	Estimated value ; the analyte concentration was less than the LOQ.
U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	HYDRA
Client ID:	MPL17-0112-1	**Prep Method:**	7470A	**Prep Date:**	01/25/2012 08:14
Matrix:	Water	**Analytical Method:**	7470A	**Cal Date:**	01/26/2012 08:01
Workgroup #:	WG387939	**Analyst:**	PDM	**Run Date:**	01/26/2012 08:58
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	HY.012612.085825
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Mercury	7439-97-6		U	0.000200	0.000100

U	Analyte was not detected. The concentration is below the reported LOD.

Certificate of Analysis

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	IC1
Client ID:	MPL17-0112-1	**Prep Method:**	300.0	**Prep Date:**	02/17/2012 08:22
Matrix:	Water	**Analytical Method:**	300.0	**Cal Date:**	02/10/2012 10:32
Workgroup #:	WG389994	**Analyst:**	JBK	**Run Date:**	02/17/2012 09:32
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	I10217120932.07
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Fluoride	16984-48-8	0.245		0.200	0.100

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	IC2
Client ID:	MPL17-0112-1	**Prep Method:**	300.0	**Prep Date:**	01/31/2012 16:00
Matrix:	Water	**Analytical Method:**	300.0	**Cal Date:**	12/21/2011 13:49
Workgroup #:	WG388430	**Analyst:**	JBK	**Run Date:**	01/31/2012 18:45
Collect Date:	01/20/2012 13:45	**Dilution:**	4	**File ID:**	I20131121845.12
Sample Tag:	DL01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Chloride	16887-00-6	43.8		0.800	0.400
Sulfate	14808-79-8	52.0		4.00	2.00

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	ORION-4STAR
Client ID:	MPL17-0112-1	**Prep Method:**	9040C	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	9040C	**Cal Date:**	
Workgroup #:	WG387650	**Analyst:**	DIH	**Run Date:**	01/22/2012 09:35
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	OS12012413033101
Sample Tag:		**Units:**	UNITS		

Analyte	CAS #	Result	Qual	LOQ	LOD
Corrosivity pH	10-29-7	7.67		0.000	0.000

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	MPL17-0112-1	**Prep Method:**	310.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	310.2	**Cal Date:**	01/24/2012 13:54
Workgroup #:	WG387734	**Analyst:**	DIH	**Run Date:**	01/24/2012 14:07
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	SC120124002.030
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Alkalinity, Carbonate (as CaCO3)			U	20.0	10.0

U	Analyte was not detected. The concentration is below the reported LOD.

Certificate of Analysis

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	MPL17-0112-1	**Prep Method:**	310.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	310.2	**Cal Date:**	01/24/2012 13:54
Workgroup #:	WG387734	**Analyst:**	DIH	**Run Date:**	01/24/2012 14:07
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	SC120124002.030
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Alkalinity, Total (as CaCO3)		87.1		20.0	10.0

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	MPL17-0112-1	**Prep Method:**	310.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	310.2	**Cal Date:**	01/24/2012 13:54
Workgroup #:	WG387734	**Analyst:**	DIH	**Run Date:**	01/24/2012 14:07
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	SC120124002.030
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Alkalinity, Bicarbonate (as CaCO3)		87.1		20.0	10.0

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	MPL17-0112-1	**Prep Method:**	9014-9010C	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	9014-9010C	**Cal Date:**	01/24/2012 14:50
Workgroup #:	WG387757	**Analyst:**	JBK	**Run Date:**	01/24/2012 15:30
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	1V.1201241530-10
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Cyanide	57-12-5	0.0549		0.0100	0.00500

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	MPL17-0112-1	**Prep Method:**	SM4500-CN-I	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	SM4500-CN-I	**Cal Date:**	01/24/2012 14:55
Workgroup #:	WG387762	**Analyst:**	JBK	**Run Date:**	01/24/2012 15:10
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	1V.1201241510-12
Sample Tag:	WD	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Cyanide, Weak/Dissociable	57-12-5	0.00605	J	0.0100	0.00500

J	Estimated value ; the analyte concentration was less than the LOQ.

Certificate of Analysis

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	MPL17-0112-1	**Prep Method:**	SM4500-CN-C,G	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	SM4500-CN-C,G	**Cal Date:**	01/27/2012 11:15
Workgroup #:	WG388028	**Analyst:**	JBK	**Run Date:**	01/27/2012 11:50
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	1V.1201271150-09
Sample Tag:	CN-A	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Cyanide, Amenable to Chlor.	57-12-5	0.0496		0.0100	0.00500

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	YSI-32
Client ID:	MPL17-0112-1	**Prep Method:**	120.1	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	120.1	**Cal Date:**	
Workgroup #:	WG388141	**Analyst:**	DLP	**Run Date:**	01/27/2012 11:20
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	32.1201271120-05
Sample Tag:		**Units:**	umhos/cm		

Analyte	CAS #	Result	Qual	LOQ	LOD
Conductivity		458		1.00	0.500

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	MPL17-0112-1	**Prep Method:**	350.1	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	350.1	**Cal Date:**	01/27/2012 11:48
Workgroup #:	WG388059	**Analyst:**	DIH	**Run Date:**	01/27/2012 12:02
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	SC120127002.022
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Nitrogen, Ammonia	7664-41-7	0.148		0.100	0.0500

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	SMARTCHEM
Client ID:	MPL17-0112-1	**Prep Method:**	353.2	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	353.2	**Cal Date:**	01/20/2012 11:48
Workgroup #:	WG387663	**Analyst:**	DIH	**Run Date:**	01/23/2012 13:39
Collect Date:	01/20/2012 13:45	**Dilution:**	4	**File ID:**	SC12012514293101
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Nitrate-Nitrite (as N)		5.36		0.200	0.100

Certificate of Analysis

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	UV-120-1V
Client ID:	MPL17-0112-1	**Prep Method:**	SM4500-P-E-20th	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	SM4500-P-E-20th	**Cal Date:**	12/21/2011 14:35
Workgroup #:	WG387651	**Analyst:**	DIH	**Run Date:**	01/22/2012 09:40
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	1V.1201220940-07
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Orthophosphate	14265-44-2		U	0.0500	0.0250

U	Analyte was not detected. The concentration is below the reported LOD.

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	OVEN
Client ID:	MPL17-0112-1	**Prep Method:**	160.1/SM2540C	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	160.1	**Cal Date:**	
Workgroup #:	WG387937	**Analyst:**	HJR	**Run Date:**	01/25/2012 16:10
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	EN.1201251610-16
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Total Dissolved Solids		324		20.0	10.0

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	TOC-VWP
Client ID:	MPL17-0112-1	**Prep Method:**	415.1	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	415.1	**Cal Date:**	12/06/2011 09:40
Workgroup #:	WG387864	**Analyst:**	DIH	**Run Date:**	01/26/2012 04:41
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	TC01252012.059
Sample Tag:	01	**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Total Organic Carbon		0.582	J	1.00	0.500

J	Estimated value ; the analyte concentration was less than the LOQ.

Sample #:	L12010576-03	**PrePrep Method:**	N/A	**Instrument:**	OVEN
Client ID:	MPL17-0112-1	**Prep Method:**	160.2/SM2540D	**Prep Date:**	N/A
Matrix:	Water	**Analytical Method:**	160.2	**Cal Date:**	
Workgroup #:	WG387936	**Analyst:**	HJR	**Run Date:**	01/26/2012 14:53
Collect Date:	01/20/2012 13:45	**Dilution:**	1	**File ID:**	EN.1201261453-06
Sample Tag:		**Units:**	mg/L		

Analyte	CAS #	Result	Qual	LOQ	LOD
Total Suspended Solids			U	5.00	2.50

Certificate of Analysis

Microbac Laboratories Inc.
Ohio Valley Division Analyst List
February 20, 2012

ADC – ANTHONY D. CANTER	AJF – AMANDA J. FICKIESEN	ALB – ANNIE L. BROWN
ALV – AMY L. VALENTINE	AML – TONY M. LONG	AZH – AFTER HOURS
BLG – BRENDA L. GREENWALT	BRG – BRENDA R. GREGORY	CAA – CASSIE A. AUGENSTEIN
CAF – CHERYL A. FLOWERS	CEB – CHAD E. BARNES	CLC – CHRYS L. CRAWFORD
CLS – CARA L. STRICKLER	CLW – CHARISSA L. WINTERS	CPD – CHAD P. DAVIS
CS – CODY M. STRAHLER	CSH – CHRIS S. HILL	DDE – DEBRA D. ELLIOTT
DEV – DAVID E. VANDENBERG	DGB – DOUGLAS G. BUTCHER	DHG – DEBORAH H. GRIFFITHS
DIH – DEANNA I. HESSON	DLB – DAVID L. BUMGARNER	DLP – DOROTHY L. PAYNE
DLR – DIANNA L. RAUCH	DSM – DAVID S. MOSSOR	ECL – ERIC C. LAWSON
EDL – ERIN D. LONG	ERP – ERIN R. PORTER	FJB – FRANCES J. BOLDEN
HAV – HEMA VILASAGAR	HJR – HOLLY J. REED	JAL – JOHN A. LENT
JBK – JEREMY B. KINNEY	JDH – JUSTIN D. HESSON	JKS – JANE K. SCHAAD
JLL – JOHN L. LENT	JWR – JOHN W. RICHARDS	JWS – JACK W. SHEAVES
JYH – JI Y. HU	KEB – KATIE E. BARNES	KHR – KIM H. RHODES
KRA – KATHY R. ALBERTSON	LKN – LINDA K. NEDEFF	LSB – LESLIE S. BUCINA
MDA – MIKE D. ALBERTSON	MDC – MIKE D. COCHRAN	MES – MARY E. SCHILLING
MMB – MAREN M. BEERY	MRT – MICHELLE R. TAYLOR	MSW – MATT S. WILSON
PDM – PIERCE D. MORRIS	PWD – PAUL W. DENT	RAH – ROY A. HALSTEAD
REK – BOB E. KYER	RLB – BOB BUCHANAN	RLK – ROBIN L. KLINGER
RWC – RODNEY W. CAMPBELL	SJP – SUZANNE J. PAUGH	SLM – STEPHANIE L. MOSSBURG
SLP – SHERI L. PFALZGRAF	TIP – TAE I. PARRISH	TMB – TIFFANY M. BAILEY
TMM – TAMMY M. MORRIS	VC – VICKI COLLIER	WJB – WILL J. BEASLEY
WTD – WADE T. DELONG		

Microbac Laboratories Inc.
List of Valid Qualifiers
February 20, 2012

Qualkey: DOD

Qualifier	Description
*	Surrogate or spike compound out of range
+	Correlation coefficient for the MSA is less than 0.995
<	Result is less than the associated numerical value.
>	Result is greater than the associated numerical value.
A	See the report narrative
B	The reported result is associated with a contaminated method blank.
B1	Target analyte detected in method blank at or above the method reporting limit
B3	Target analyte detected in calibration blank at or above the method reporting limit
B4	The BOD unseeded dilution water blank exceeded 0.2 mg/L
C	Confirmed by GC/MS
CG	Confluent growth
DL	Surrogate or spike compound was diluted out
E	Estimated concentration due to sample matrix interference
EDL	Elevated sample reporting limits, presence of non-target analytes
EMPC	Estimated Maximum Possible Concentration
F, S	Estimated result below quantitation limit; method of standard additions(MSA)
FL	Free Liquid
H1	Sample analysis performed past holding time.
I	Semiquantitative result (out of instrument calibration range)
J	Estimated concentration; sample matrix interference.
J	Estimated value ; the analyte concentration was greater than the highest standard
J	Estimated value ; the analyte concentration was less than the LOQ.
J	The reported result is an estimated value.
J,B	Analyte detected in both the method blank and sample above the MDL.
J,P	Estimate; columns don't agree to within 40%
J,S	Estimated concentration; analyzed by method of standard addition (MSA)
L	Sample reporting limits elevated due to matrix interference
L1	The associated blank spike (LCS) recovery was above the laboratory acceptance limits.
L2	The associated blank spike (LCS) recovery was below the laboratory acceptance limits.
M	Matrix effect; the concentration is an estimate due to matrix effect.
N	Nontarget analyte; the analyte is a tentativlely identified compound (TIC) by GC/MS
NA	Not applicable
ND	Not detected at or above the reporting limit (RL).
ND, L	Not detected; sample reporting limit (RL) elevated due to interference
ND, S	Not detected; analyzed by method of standard addition (MSA)
NF	Not found by library search
NFL	No free liquid
NI	Non-ignitable
NR	Analyte is not required to be analyzed
NS	Not spiked
P	Concentrations >40% difference between the two GC columns
Q	One or more quality control criteria failed. See narrative.
QNS	Quantity of sample not sufficient to perform analysis
RA	Reanalysis confirms reported results
RE	Reanalysis confirms sample matrix interference
S	Analyzed by method of standard addition (MSA)
SMI	Sample matrix interference on surrogate
SP	Reported results are for spike compounds only
TIC	Library Search Compound
TNTC	Too numerous to count
U	Analyte was not detected. The concentration is below the reported LOD.
UJ	Undetected; the analyte was analyzed for, but not detected.
UQ	Undetected; the analyte was analyzed for, but not detected.
W	Post-digestion spike for furnace AA out of control limits
X	Exceeds regulatory limit
X, S	Exceeds regulatory limit; method of standard additions (MSA)
Z	Cannot be resolved from isomer - see below

*****Special Notes for Organic Analytes**

Qualkey: DOD

1. Acrolein and acrylonitrile by method 624 are semi-quantitative screens only.
2. 1,2-Diphenylhydrazine is unstable and is reported as azobenzene.
3. N-nitrosodiphenylamine cannot be separated from diphenylamine.
4. 3-Methylphenol and 4-Methylphenol are unresolvable compounds.
5. m-Xylene and p-Xylene are unresolvable compounds.
6. The reporting limits for Appendix II/IX compounds by method 8270 are based on EPA estimated PQLs referenced in 40 CFR Part 264, Appendix IX. They are not always achievable for every compound and are matrix dependent.

COC No. A 28524

158 Starlite Drive
Marietta, OH 45750

Microbac

CHAIN-OF-CUSTODY RECORD

Phone: 740-373-4071
Fax: 740-373-4835

Company Name: Zia Shaw

Project Contact: Mark Lyon

Contact Phone #: 262-8920 505-526-

Turn Around Requirements: Normal

Location: WSMR

Project ID: STP

Sampler (print): Bradley T. Davis

Signature: Bradley T. Davis

Program: ☐ CWA ☐ RCRA ☐ DOD ☐ AFCEE ☐ Other _____

Sample I.D. No.	Comp	Grab	Date	Time	Matrix*	NUMBER OF CONTAINERS	Hold	Anions	Cond. pH PO4	Alkalinity	Total, Free, Amenable CN	Metals	NH3 TOC NO3NO2	TSS TDS	TOTAL # (LAB USE)	ADDITIONAL REQUIREMENTS
MPL 18-0112-1		X	1-20-12	1030	W	7		X	X	X	X	X	X	X		
T40-0112-1		X	1-20-12	1210	W	7		X	X	X	X	X	X	X		
MPL 17-0112-1		X	1-20-12	1345	W	7		X	X	X	X	X	X	X		

Microbac OVD
Received: 01/21/2012 16:26
By: BOB BUCHANAN
221000021799

Relinquished by: (Signature)	Date	Time	Received by: (Signature)
Bradley T. Davis	1-20-12	1700	RF Buchanan
Relinquished by: (Signature)	Date	Time	Received by: (Signature)

Remarks:

*Water (W), Soil (S), Solid Waste (SD), Unknown (X)

Page _____ of _____

Internal Chain of Custody Report

Login: L12010576
Account: 3005
Project: 3005.011
Samples: 3
Due Date: 03-FEB-2012

Samplenum	Container ID	Products
L12010576-01	930487	300

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	31-JAN-2012 10:30	JBK	RLK	
3	STORE	SEM	A1	03-FEB-2012 11:19	RLK	JBK	

Samplenum	Container ID	Products
L12010576-01	930488	ALK ALK-B ALK-C

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	24-JAN-2012 08:25	DIH	JKS	
3	STORE	WET	A1	25-JAN-2012 08:39	JKS	DIH	
4	ANALYZ	A1	WET	31-JAN-2012 09:54	JDH	RLK	
5	STORE	WET	A1	02-FEB-2012 07:37	AZH	DIH	

Samplenum	Container ID	Products
L12010576-01	930489	COR-PH PO4 COND

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	23-JAN-2012 10:27	DIH	JKS	
3	STORE	WET	A1	30-JAN-2012 08:11	JKS	DLP	

Samplenum	Container ID	Products
L12010576-01	930490	TDS TSS

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	25-JAN-2012 09:21	HJR	RLK	
3	STORE	WET	A1	31-JAN-2012 08:52	RLK	HJR	

A1 - Sample Archive (COLD)
A2 - Sample Archive (AMBIENT)
F1 - Volatiles Freezer in Login
V1 - Volatiles Refrigerator in Login
W1 - Walkin Cooler in Login

Microbac Laboratories Inc.

Internal Chain of Custody Report

Login: L12010576
Account: 3005
Project: 3005.011
Samples: 3
Due Date: 03-FEB-2012

Samplenum	Container ID	Products
L12010576-01	930491	NH3 NO3NO2 TOC

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		<2
2	ANALYZ	W1	WET	23-JAN-2012 12:10	DIH	JKS	
3	STORE	WET	A1	30-JAN-2012 08:11	JKS	DLP	

Samplenum	Container ID	Products
L12010576-01	930492	CR-MS CU-MS HG K MG MN NA NI-MS PB-MS SB-MS SE

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	DIG	23-JAN-2012 14:08	ERP	RLK	
3	STORE	DIG	A1	25-JAN-2012 14:15	RLK	ERP	

Samplenum	Container ID	Products
L12010576-01	930493	CN CN-A CN-WD

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	24-JAN-2012 08:15	JBK	RLK	
3	STORE	WET	A1	01-FEB-2012 08:50	RLK	JBK	

Samplenum	Container ID	Products
L12010576-02	930494	300

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	31-JAN-2012 10:30	JBK	RLK	
3	STORE	SEM	A1	03-FEB-2012 11:19	RLK	JBK	

A1 - Sample Archive (COLD)
A2 - Sample Archive (AMBIENT)
F1 - Volatiles Freezer in Login
V1 - Volatiles Refrigerator in Login
W1 - Walkin Cooler in Login

Internal Chain of Custody Report

Login: L12010576
Account: 3005
Project: 3005.011
Samples: 3
Due Date: 03-FEB-2012

Samplenum	Container ID	Products
L12010576-02	930495	ALK ALK-B ALK-C

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	24-JAN-2012 08:25	DIH	JKS	
3	STORE	WET	A1	25-JAN-2012 08:39	JKS	DIH	
4	ANALYZ	A1	WET	31-JAN-2012 09:53	JDH	RLK	
5	STORE	WET	A1	02-FEB-2012 07:37	AZH	DIH	

Samplenum	Container ID	Products
L12010576-02	930496	COND COR-PH PO4

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	23-JAN-2012 10:27	DIH	JKS	
3	STORE	WET	A1	30-JAN-2012 08:11	JKS	DLP	

Samplenum	Container ID	Products
L12010576-02	930497	TDS TSS

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	25-JAN-2012 09:21	HJR	RLK	
3	STORE	WET	A1	31-JAN-2012 08:52	RLK	HJR	

Samplenum	Container ID	Products
L12010576-02	930498	NH3 NO3NO2 TOC

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		<2
2	ANALYZ	W1	WET	23-JAN-2012 12:10	DIH	JKS	
3	STORE	WET	A1	30-JAN-2012 08:11	JKS	DLP	

A1 - Sample Archive (COLD)
A2 - Sample Archive (AMBIENT)
F1 - Volatiles Freezer in Login
V1 - Volatiles Refrigerator in Login
W1 - Walkin Cooler in Login

Internal Chain of Custody Report

Login: L12010576
Account: 3005
Project: 3005.011
Samples: 3
Due Date: 03-FEB-2012

Samplenum	Container ID	Products
L12010576-02	930499	AG-MS AS-MS BA-MS BE-AX CA CD-MS CO-MS CR-MS (

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	DIG	23-JAN-2012 14:08	ERP	RLK	
3	STORE	DIG	A1	25-JAN-2012 14:15	RLK	ERP	

Samplenum	Container ID	Products
L12010576-02	930500	CN CN-A CN-WD

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	24-JAN-2012 08:14	JBK	RLK	
3	STORE	WET	A1	01-FEB-2012 08:50	RLK	JBK	

Samplenum	Container ID	Products
L12010576-03	930501	300

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	31-JAN-2012 10:30	JBK	RLK	
3	STORE	SEM	A1	03-FEB-2012 11:19	RLK	JBK	

Samplenum	Container ID	Products
L12010576-03	930502	ALK ALK-B ALK-C

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	24-JAN-2012 08:25	DIH	JKS	
3	STORE	WET	A1	25-JAN-2012 08:39	JKS	DIH	
4	ANALYZ	A1	WET	31-JAN-2012 09:53	JDH	RLK	
5	STORE	WET	A1	02-FEB-2012 07:37	AZH	DIH	

A1 - Sample Archive (COLD)
A2 - Sample Archive (AMBIENT)
F1 - Volatiles Freezer in Login
V1 - Volatiles Refrigerator in Login
W1 - Walkin Cooler in Login

Internal Chain of Custody Report

Login: L12010576
Account: 3005
Project: 3005.011
Samples: 3
Due Date: 03-FEB-2012

Samplenum	Container ID	Products
L12010576-03	930503	COND COR-PH PO4

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	23-JAN-2012 10:27	DIH	JKS	
3	STORE	WET	A1	30-JAN-2012 08:11	JKS	DLP	

Samplenum	Container ID	Products
L12010576-03	930504	TDS TSS

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	25-JAN-2012 09:21	HJR	RLK	
3	STORE	WET	A1	31-JAN-2012 08:52	RLK	HJR	

Samplenum	Container ID	Products
L12010576-03	930505	NH3 NO3NO2 TOC

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		<2
2	ANALYZ	W1	WET	23-JAN-2012 12:10	DIH	JKS	
3	STORE	WET	A1	30-JAN-2012 08:11	JKS	DLP	

Samplenum	Container ID	Products
L12010576-03	930506	AG-MS AS-MS BA-MS BE-AX CA CD-MS CO-MS CR-MS (

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	DIG	23-JAN-2012 14:08	ERP	RLK	
3	STORE	DIG	A1	25-JAN-2012 14:15	RLK	ERP	

A1 - Sample Archive (COLD)
A2 - Sample Archive (AMBIENT)
F1 - Volatiles Freezer in Login
V1 - Volatiles Refrigerator in Login
W1 - Walkin Cooler in Login

Microbac Laboratories Inc.

Internal Chain of Custody Report

Login: L12010576
Account: 3005
Project: 3005.011
Samples: 3
Due Date: 03-FEB-2012

Samplenum	Container ID	Products
L12010576-03	930507	CN CN-A CN-WD

Bottle: 1

Seq.	Purpose	From	To	Date/Time	Accept	Relinquish	pH
1	LOGIN	COOLER	W1	23-JAN-2012 09:56	JKT		
2	ANALYZ	W1	WET	24-JAN-2012 08:15	JBK	RLK	
3	STORE	WET	A1	01-FEB-2012 08:50	RLK	JBK	

A1 - Sample Archive (COLD)
A2 - Sample Archive (AMBIENT)
F1 - Volatiles Freezer in Login
V1 - Volatiles Refrigerator in Login
W1 - Walkin Cooler in Login